Attorney Docket No. 41587.012502(346)

S/N 10/760,658

Amendments to the Claims:

Please amend the claims as set forth below.

1-31. (Cancelled)

32. (Currently Amended) A lumbar support mechanism comprising:

a lumbar support element frame member being flexible through a range of flexion, said

<u>lumbar support element</u> frame member having an upper portion and a lower portion;

an adjustment device operatively engaged with said upper portion and said lower portion

of said <u>lumbar support element</u> frame member such that adjustment of said adjustment device

varies said flexion; and

two flap tongue portions, each flap portion having an elongated attachment edge at which

said flap attaches to said lumbar support element, each of said flap portions having a medial axis

extending approximately normal to said attachment edge, said flap tongue portions being

disposed in opposite directions with said medial axes being substantially vertical, said flap

tongue portions being defined by slots in said lumbar support element frame member and having

a tongue resilience,

wherein said tongue resilience remains substantially unchanged through said range of

flexion of said frame member.

33. (Currently Amended) The lumbar support of claim 32 wherein said lumbar support

element frame member has a variable resilience.

2068944.03

- 2 -

Attorney Docket No. 41587.012502(346)

S/N 10/760,658

34. (Currently Amended) The lumbar support of claim 33 wherein said variable resilience

varies through said range of flexion such that increased flexion stiffens said variable resilience of

said lumbar support element frame member.

35. (Currently Amended) A lumbar support mechanism comprising:

a lumbar support element frame member being flexible through a range of flexion, said

lumbar support element frame member having a variable resilience, said variable resilience

varying through said range of flexion such that increased flexion stiffens said variable resilience

of said <u>lumbar support element</u> frame member, said <u>lumbar support element</u> frame member

having an upper portion and a lower portion;

an adjustment device operatively engaged with said upper portion and said lower portion

of said <u>lumbar support element</u> frame member such that adjustment of said adjustment device

varies said flexion; and

a plurality of flap tongue portions, at least two of said flap tongue portions being disposed

in opposite directions, said tongue portions having a tongue resilience,

wherein said flap portions are circumscribed by said lumbar support element.

wherein said tongue resilience remains substantially unchanged through said range of

flexion of said frame member.

36. (Currently Amended) The lumbar support of claim 35, wherein each of said <u>flap tongue</u>

portions is defined by a slot in said <u>lumbar support element</u> frame member.

2068944.03

Attorney Docket No. 41587.012502(346)

S/N 10/760,658

37. (Currently Amended) A lumbar support mechanism comprising:

a <u>lumbar support element</u> frame member being flexible through a range of flexion, said

lumbar support element frame member having a variable resilience, said variable resilience

varying through said range of flexion such that increased flexion stiffens said variable resilience

of said lumbar support element frame member, said lumbar support element frame member

having an upper portion and a lower portion;

an adjustment device operatively engaged with said upper portion and said lower portion

of said <u>lumbar support element</u> frame member such that adjustment of said adjustment device

varies said flexion; and

a plurality of flap tongue portions, each flap portion having an elongated attachment edge

at which said flap attaches to said lumbar support element, each of said flap portions having a

medial axis extending approximately normal to said attachment edge, at least two of said flap

tongue portions being disposed in opposite directions from one another and having their medial

axes oriented vertically, said tongue portions having a tongue resilience,

wherein said tongue resilience remains substantially unchanged-through said range of

flexion of said frame member.

38. (Currently Amended) The lumbar support of claim 37 wherein said <u>flap tongue</u> portions

are defined by a slot in said lumbar support element frame member.

39. (Currently Amended) The lumbar support of claim 38 wherein said plurality of flap

tongue portions is two flap tongue portions.

2068944.03

-4-

Attorney Docket No. 41587.012502(346)

S/N 10/760,658

40. (Previously Presented) The lumbar support of claim 38 wherein said slot is an open

polygon.

41. (Previously Presented) The lumbar support of claim 38 wherein said slot is an open curve.

42. (Previously Presented) The lumbar support of claim 38 wherein said slot is a combination

of an open polygon and an open curve.

43. (New) The lumbar support of claim 32 wherein each of said flap portions is defined by a

slot in said lumbar support element.

44. (New) The lumbar support of claim 32 wherein each of said flap portions is defined by a

slot in said lumbar support element, wherein said slot is an open polygon.

45. (New) The lumbar support of claim 32 wherein each of said flap portions is defined by a

slot in said lumbar support element, wherein said slot is an open curve.

46. (New) The lumbar support of claim 32 wherein each of said flap portions is defined by a

slot in said lumbar support element, wherein said slot is a combination of an open polygon and

an open curve.

47. (New) The lumbar support of claim 32 wherein each of said flap portions is integral with

said lumbar support element.

48. (New) A lumbar support element comprising:

a flexible lumbar support element having an upper portion and a lower portion; and

a plurality of flaps attached to said flexible lumbar support element, each flap having an

attachment edge at which said flap attaches to said lumbar support element, each of said flaps

having a medial axis extending approximately normal to said attachment edge, at least two of

2068944.03

- 5 -

Attorney Docket No. 41587.012502(346)

S/N 10/760,658

said flaps being disposed in opposite directions with said medial axes being substantially vertical,

said flaps being circumscribed by slots in said lumbar support element.

49. (New) The lumbar support mechanism of claim 48 wherein said plurality of flaps is two

flaps.

50. (New) The lumbar support mechanism of claim 48 wherein said flaps are integral to said

flexible lumbar support element.

51. (New) The lumbar support mechanism of claim 48 wherein said flexible lumbar support

element and said flaps are made of plastic.

52. (New) The lumbar support mechanism of claim 48 wherein said flexible lumbar support

element and said flaps are made of sheet metal.

2068944.03

-6-